









## Manchon à souder mâle à visser 243GCU



## Caractéristiques produits

Catégorie	Raccord laiton
Type d'embout	Mâle
Type de raccord	Manchon
Type de raccordement	À souder
Unité de vente	(1 conditionnement)

## Caractéristiques techniques

Code	Conditionnement	Filetage	Diamètre (mm)
711001	1	12x17	10
711800	1	15x21	10
711803	1	26x34	22
711802	1	20x27	28
711015	1	26x34	28
711804	1	33x42	28
711016	1	26x34	32
711018	1	33x42	32
711805	1	33x42	35
711242	1	33x42	40
711020	1	40x49	40
711110	1	33x42	42
711021	1	40x49	42
711111	1	40x49	52
711806	1	50x60	54
711433	1	50x60	52
698729	10	12x17	14
698806	10	20x27	14
698799	10	20x27	22





Code	Conditionnement	Filetage	Diamètre (mm)
698813	10	12x17	12
698820	10	15x21	12
698827	10	15x21	14
698834	10	15x21	16
698848	10	20x27	16
698841	10	15x21	18
698855	10	20x27	18
698862	10	12x17	16
239705	1	15x21	18
239712	1	20x27	18



## **Produits complémentaires**



Coude cuivre 90° M/F à souder 92CU



Manchon à souder femelle à visser 270GCU



Raccord 2 pièces cuivre coudé femelle à souder femelle à visser 2A GCU



Coude cuivre 90° F/F à souder 90CU